

INAGUA 

Ry



TECNICAL DATAS

THE HULL

Lunghezza ft gonfio	<i>Length loa swollen</i>	<i>Longueur ht (gonflé)</i>	<i>(with engines)</i>	10,90 mts
Lunghezza ft gonfio	<i>Length loa swollen</i>	<i>Longueur ht (gonflé)</i>	<i>(without engines)</i>	10,86 mts
Lunghezza ft sgonfio	<i>Length loa deflated</i>	<i>Longueur ht (dégonflé)</i>		10,79 mts
Larghezza ft gonfio	<i>Beam swollen</i>	<i>Largeur (gonflé)</i>		3,70 mts
Larghezza ft sgonfio	<i>Beam deflated</i>	<i>Largeur (dégonflé)</i>		3,10 mts
Altezza sull'acqua	<i>Height above d.w.l.</i>	<i>Hauteur au-dessus de flottaison</i>		2,14 mts
Immersione (chiglia)	<i>Draft (hull)</i>	<i>Tirant d'eau</i>		0,58 mts
Pescaggio (piedi fb)	<i>Draft (Stern drive)</i>	<i>Tirant d'eau avec z-drive</i>		0,86 mts
Peso a vuoto circa	<i>Dry weight approx</i>	<i>Poids à vide</i>	<i>(without engines)</i>	3.700 kgs
Portata persone	<i>Total crew capacity</i>	<i>Personnes</i>		16 persons
Serbatoio combust.	<i>Fuel tank</i>	<i>Réservoir du carburant</i>		620 lts
Serbatoio acqua	<i>Fresh water tank</i>	<i>Réservoir d'eau</i>		80 lts
Locali toilette	<i>Nr. bathroom</i>	<i>Bains</i>		Nr 1
Tubolari diam. max	<i>Tubulars max diam.</i>	<i>Diamètre max tubulaires</i>		0,68 mts
Tubolari scomparti	<i>Tubular compartments</i>	<i>Compartiments tubulaires</i>		N.6
Impianto elettrico	<i>Electrical system</i>	<i>Système électrique</i>		12 V
Omologazione CE	<i>CE marking</i>	<i>Homologation CE</i>		Category "B"
Velocità massima	<i>Max speed</i>	<i>Pleine vitesse</i>	<i>(up to)</i>	47 / 51 Knots

THE OUTBOARD ENGINES

Potenza massima	<i>Crankshaft power</i>	<i>Puissance</i>	2x300 HP (2x221 Kw)
Peso motore (c.a.)	<i>Weight with s-drive</i>	<i>Poids avec transmission</i>	2x300 kgs
Prendisole di poppa / di prua	mt 1,74 (medio) x 1,24	/	mt 1,74 x 1,60 (medio)
Sunbathing aft / bow	mts 1,74 (medium) x 1,24	/	mts 1,74 x 1,60 (medium)
Bain de soleil à poupe / à proue	mt 1,74 (moyenne) x 1,24	/	mt 1,74 x 1,60 (moyenne)



STANDARD EQUIPMENT

COMPONENTS

Anchor	Trefoil 10 Kg
Fresh water pump	Whale
Chain	50 mt 8 mm
Batteries	FAAM 2x100 engines 1x180 services
Boiler (opt)	20 lt
Batteries charger (opt)	Victron 30 A
Equipement	Bag with instruction for purchase components, owner's manual, n. 4 fenders F3 with covers, n. 2 mooring lines 15 mt, cockpit, boathook, national flag.
Echo (opt)	Raymarine Axiom
Fridge (opt)	160 lt
Electric Flaps (opt)	Lenco with position lights
Rubber floor on the cockpit and cabin	Seadeak
GPS (opt)	Raymarine 12"
GPS (opt)	Raymarine 16'
Led lights	Foresti & Suardi
Electric system	12 V
Hutch	Lewmar 500 x 200
Automatic bilge pump	Marco UP2000
Radio (opt)	Fusion
Fuel tank	VIP Inox 620 lt
Fresh water tank	80 lt Osculati
Black water tank	CAN 41 lt
Table in teak	Adjustable with electrical support BARKA
Adjustable Verado wheelhouse	electric wheelhouse
VHF	Raymarine R53
Suncanopy (opt)	
Underwaterlights (opt)	
WC	Planus
Bimini Stainless steel	Manenti
Winch	Lofrans 800 W

INAGUA



	design:	GENERAL PLAN	scale:
	model:	INAGUA S 001	auto: metri
MARINO ALFANI DESIGN WORK Via Hivellia, 2 - 24128 Bergamo Italy - Tel. +39 0356486200 Mobile: +39 335664150 www.marinoalfani.com - info@marinoalfani.com		design:	design: IN S.01
		date:	2022-03-04
		firm:	

Il presente disegno è tutelato a norma di legge e non può essere riprodotto senza apposita autorizzazione

*Il cantiere si riserva la facoltà, al fine di migliorare il prodotto, di apportare varianti senza preavviso. L'equipaggiamento standard è da intendersi indicativo.

INAGUA 